



A P P R O V A L S ®

Certificate of Suitability

Certificate No.: SAA200686

Certificate Holder: Greenpower Investment Pty Ltd
136 Sir Donald Bradman Drive
Hilton SA 5033
Australia

Regulatory Definition: Non-Prescribed
Product Description: Home Storage Battery System
Trade Name: GreenPower
Model No.: Tesseract 5K14
Markings: DC input: 580Vdc, MPP Voltage range: 100-550Vdc,
Max 12A/12A, Isc: 15A/15A
Grid Output: 230V~ 50/60Hz Max 21.7A, 5000VA
EPS Output: 230V~ 50/60Hz 10A 2300VA
Battery: 40-60Vdc,
Max charge and discharge current: 50A 2300W
-25°C to +60°C, IP54, Class I

Standard: IEC 62109-1 Ed 1.0
IEC 62109-2 Ed 1.0
AS 62040.1:2019
AS/NZS 4777.2:2015

Conditions: Nil

Certification Mark: RCM and SAA200686

Date First Registered: 28 April 2020

Date of Expiry: 28 April 2025

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd


SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 and declared a RECS under *Qld Electrical Safety Act 2002 and Electrical Safety Regulations 2013* certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:

www.saaapprovals.com.au

JAS-ANZ



Issued: 28-04-20 200686/1

www.jas-anz.org/register